

1

UP 20-14 BXA PM



: 97916749

AUTOADAPT
AUTOADAPT,

100%

PM.

5-8

12-

COMFORT

IEC 61140, II,

AUTOADAPT
100%

AUTOADAPT.

().

AUTOADAPT

AUTOADAPT

20-50

24

« »

AUTOADAPT
15

AUTOADAPT

30

legionella.


AUTOADAPT

AUTOADAPT

Grundfos

AUTOADAPT

Grundfos



: 2 .. 95 °C
 : 60 °C
 : 983.2 / 3

TF : 95
 : CE,VDE,EAC

MS 68
 , EPDM, PPO,



: 10.2
 : 1 1/4
 : 110

C : 0.6
 : 3: 7
 : 50 Hz
 : 1 x 230 V
 : 0.07 A
 : 0.6
 (IEC 34-5): IP44
 (IEC 85): F


: 1.35
 : 1.51
 : 0.003 3




97916749 UP 20-14 BXA PM 50




	UP 20-14 BXA PM
	97916749
EAN	5710626363742
	1
	14
TF	95
	CE, VDE, EAC
	MS 68
	EPDM, PPO,



	10.2
	1 1/4
	110
	2 .. 95 °C
	60 °C
	983.2 / ³




C	0.6
3:	7
	50 Hz
	1 x 230 V
3:	0.07 A
	0.6
(IEC 34-5):	IP44
(IEC 85):	F
	1.35
	1.51
	0.003 ³



GRUNDFOS 

97916749 UP 20-14 BXA PM 50



97916749 UP 20-14 BXA PM 50

